

Product Data Sheet

Roadrunner™ Mobile Flame Spray System


The only mobile combustion flame spray system that's all-terrain! Take the many advantages of combustion wire or combustion powder flame spray, put it on wheels and discover exciting new possibilities. Maintenance and repair coating projects that were previously impossible, or impractical to perform without costly and cumbersome staging are now within your grasp.

Roadrunner™ is ready for duty — anywhere, anytime. Roadrunner is a complete, transportable, self-contained coating system that can be configured for either the combustion powder Thermospray® process or the combustion wire spray process. It is built from proven Sulzer Metco components, including the 5P-II combustion powder spray gun or the world leading 16E combustion wire spray gun. Designed for heavy duty work, Roadrunner is built for use in remote locations, as well as in-shop.

It's easy to put Roadrunner profitably to work. Simply connect your customer-supplied gas bottles and air compressor to the Roadrunner and you're set to take

on any job where costly field staging or transport back to a fixed workshop is simply not an economical option. Imagine the savings to your customers when you add the capability to perform maintenance and repairs on-site. Or consider how applying a new finish to a piece of operating equipment in the field dramatically reduces downtime.

Roadrunner is compact: with a cart weight of 125 kg (275 lb) and a wire flame spray set-up size of approximately 175 cm (69 in) wide, it goes into spaces inaccessible to other equipment. Roadrunner is the only inexpensive mobile flame spray solution that lets you travel the road to new opportunities.



**Roadrunner
Mobile Combustion Wire Flame
Spray System (with Metco 16E Gun)**

**Roadrunner
Mobile Combustion Powder Flame
Spray System (with Metco 5P-II Gun)**

**Roadrunner Cart
(For Use with an Existing 16E or 5P-II
Spray System)**

Note: Units are shown with customer-supplied oxygen and fuel gas bottles.

1 General Description


Roadrunner can be purchased as a complete flame spray system configured for either wire or powder flame spray. Roadrunner comes equipped with all flame spray equipment, including air and gas flowmeters, regulators (supplied with non-CE units only), air control unit and spray gun, all of which are mounted or stored (in the case of the spray gun), in a front panel cabinet. In addition, all hoses are supplied. A gun bracket holds the spray gun for lighting or when not in use. It has been designed to accommodate the Metco 16E Wire Spray Gun Safety Handle.

A rack on the back of the unit holds two large, customer-supplied gas bottles for oxygen and fuel gas and includes a firewall between the bottles and retaining brackets for safety and stability.

Wire flame spray units include the 2W Wire Control Unit, which folds away when not in use for easy storage and transport. In addition, there is a wire spool holder on the side of the central post designed to hold plastic wire spools.

The cart has a stable base and comes equipped with large tires that allow the unit to be easily transported around the shop or site. A lifting eye at the top of the cart allows the complete unit to be hoisted up to scaffolding, or easily lifted onto a transport vehicle.

Customers who already own a 16E or 5P-II spray system can purchase the Roadrunner RR51856 cart, which is prepared for mounting of the customer's existing spray equipment.



Roadrunner • Main Components
(Shown for Wire Flame Spray)

1.1 Roadrunner Configurations

For more information about the components listed in this table, please refer to the applicable product datasheet for that component.

Included Components	Roadrunner for Wire Flame Spray	Roadrunner for Powder Flame Spray	Roadrunner Cart
Roadrunner Cart	• RR51856	• RR51856	• RR51856
Spray Gun	<i>Choice of</i> <ul style="list-style-type: none"> • 16E: acetylene, hard wires • 16E-H: acetylene, soft wires • 16E-P: propane, hard wires • 16E-HT: high throughput, propane / propylene, soft wires 	• 5P-II with 5PVA Air Vibrator	N/A
Wire Control⁽¹⁾	• 2W Wire Control Unit	N/A	N/A
Flowmeters and Control Units	• 3AF Air Flowmeter • 3GF Gas Flowmeter • 6A Air Control Unit	• 3GF Gas Flowmeter • 6A Air Control Unit	N/A
Gas Regulators (non-CE only)⁽²⁾			
Standard Roadrunner Models	• 3GRO: oxygen <i>Choice of</i> • 3GRA: acetylene • 3GRP: propane, propylene	• 3GRO: oxygen • 3GRA: acetylene	N/A
Roadrunner 16E-HT Model	• 2DJRO: oxygen • 2DJRP: propane, propylene	N/A	N/A
Hose Packages: non CE			
Flowmeter to Gun	<i>Choice of</i> • 7H: 10.6 m (35 ft) • 6H: 4.6 m (15 ft)	<i>Choice of:</i> • 14H: 10.6 m (35 ft) • 12H: 4.6 m (15 ft)	N/A
16E-HT Hose Extension Kit⁽³⁾	• DJF10CTO fuel gas hose • DJF20CTO oxygen hose • PB30CTO-XX air hose • 14E90183 adapters (2) for air and oxygen hoses • 14E94547 adapter (1) for fuel hose • DJ82 oxygen flashback arrestor • DJ81 fuel gas flashback arrestor	N/A	N/A
Regulator to Flowmeter	• 8H: 1.2 m (4 ft)	• 8H: 1.2 m (4 ft)	N/A
Hose Packages: CE Conformant			
Flowmeter to Gun	<i>Choice of</i> • 7HEX: 10.6 m (35 ft) • 6HEX: 4.6 m (15 ft)	<i>Choice of:</i> • 14HEX: 10.6 m (35 ft) • 12HEX: 4.6 m (15 ft)	N/A
16E-HT Hose Extension Kit⁽³⁾	• 11HEX51292CTO-XX fuel gas hose • 11HEX51287CTO-XX oxygen hose • PB30CTO-XX air hose • 14E90183 adapters (2) for air and oxygen hoses • 14E94547 adapter (1) for fuel hose • DJ82 oxygen flashback arrestor • DJ81 fuel gas flashback arrestor	N/A	N/A
Regulator to Flowmeter	• 8HEX: 1.2 m (4 ft)	• 8HEX: 1.2 m (4 ft)	N/A

1) Shipped with standard, stationary tripod for 2W Wire Control Unit. The tripod is not needed to mount the 2W onto the Roadrunner cart.

2) Gas regulators for CE-Conformance are required to meet local requirements.

3) Extends hose lengths for 16E-HT High Throughput Wire Flame Spray Unit only. These hoses can be ordered in any length up to a maximum of 38 m (125 ft). Fuel gas and oxygen extension hoses connect from the flowmeter to the 7H or 7HEX hoses using the specified adapters.

2 Features and Benefits

Effective:

- Uses proven technology, packaged in a compact, mobile configuration.
- Easily transport all combustion flame equipment in-house or on-site using the sturdy cart.
- Protective metal storage cabinet stores gun and provides easy access to regulators and flowmeters.
- Cabinet door can remain open for easy viewing during spray operations.
- Wire holder folds away for easy transport and storage.
- Gun holding bracket accommodates 16E safety handle or 5P-II.

Efficient:

- Rugged, compact cart is built for long service life.
- Large, heavy duty tires for easy movement.

Economical:

- Cart requires no maintenance.
- Provides an inexpensive mobile flame-spray solution with rapid deployment capability.

Environmental:

- Large base plate and restraints securely hold gas bottles on the back of the cart.
- A firewall between bottles provides an extra margin of safety.
- Cart is stable with or without gas bottles.

3 Technical Data

